



CSX.0029

CURING AID

Curing adjuvant in aqueous dispersion for concretes

Customs Code

3824 9970

Packaging

- Plastic can 25 kg
- Pallet tank (IBCs) 1000 kg

Application

- Low pressure airless nebulize

Family
Consilex

Product Lines

- **Infratech**
- **Sanageb**
- **Floor**

Components
Single-component

Type

Curing treatments for cement conglomerates

Functional Categories

- **Improvement of mechanical and/or rheological performance of newly manufactured mortars, plasters and concretes**
- **Construction of high performance industrial concrete floors**
- **Wall structure treatments and repair of industrial concrete floors**
- **Curing compounds for industrial floors, screeds and concrete in general**

Appearance

Liquid

Certifications and legislations



Floor - Prodotti per pavimenti e massetti in calcestruzzo

Product of the Floor line, the line of products from Azichem Srl dedicated to the main, complementary products and accessories for the construction, restoration and/or renovation of concrete floors and screeds.

General description

Curing adjuvant, based on special acrylic resins in aqueous dispersion; applied by spraying, on fresh concrete surfaces. It reduces the sudden loss of the mixing water by evaporation, thus contributing to the improvement of the general characteristics of the finished product.

Unlike treatments based on wax or synthetic oils, CURING AID is not a hydro-oleo repellent substance.

CURING AID bases its working principle on the cross-linking of a copolymer particularly similar to the constituents of cement-based mixes. The copolymer inhibits the evaporation of water and is chemically fixed with the support.

CURING AID, thanks to this polymerization process, is not a potentially detaching substance with respect to subsequent coating treatments, unlike the common anti-evaporating agents present on the market that base their effectiveness on active hydro-oil repellent substances.

Dosage

From 0.07 to 0.1 kg of CURING AID per square metre of surface to be treated, based on the porosity and absorption of the surface itself.

Fields of application

Aid for curing and curing measures in concrete conglomerates: industrial concrete floors, foundation slabs, massive jets, betons, thixotropic and castable structural mortars, fiber-reinforced micro-coals etc.

Basic features



Density:
1.00 kg/dm³



Nonflammable



Shelf-life:
12 months



Solvent-free



Temperature of use:
+5 / +35 °C



UV-resistant



Available colours
Light blu

IF YOU WANT TO SOLVE IT


www.azichem.com

Updated: **02/01/2020**

General sales conditions and legal notices on

www.azichem.com/disclaimer

Page: **1/3**

Technical specifications

pH: 10.5 _

Viscosity (UNI 8701-3) a 20°C: 17.5 cP

Tools cleansing

- Water

Applicable on

- Concrete
- Prefabricated concrete
- Fiber-cement

Instructions for use

CURING AID must be applied to the surfaces of fresh mix, preferably by spraying, using low pressure sprayers. CURING AID can also be rolled out but in this case it is advisable to wait for its starting phase and first surface hardening (losing part of its effectiveness). In case of particularly unfavorable exposure conditions (dry and / or windy environment) it may be necessary to repeat the application.

CURING AID is not a hydro-oleo repellent substance. CURING AID bases its operating principle on cross-linking of a copolymer with excellent stability under alkaline conditions, which inhibits water evaporation by chemically fixing with the support. CURING AID, thanks to this process of polymerization and tenacious adhesion on the surfaces of the conglomerate, is not a potentially detaching substance with respect to subsequent coating treatments.

It is understood that an excess of mixing water in the concrete design mix, with an attached phenomenon of bleeding, can affect correct CURING AID polymerization and create a non-perfectly linked crosslinking with the support. Therefore it is always advisable to check the degree of compactness of the surfaces and, in case of doubt, proceed with an effective cleaning before carrying out any superficial painting.

The operations of sanding, dust removal and in general of preliminary cleaning are, however, always recommended in all the codes of good practice concerning the painting and coating of industrial floors.

The use of the curing adjuvant does not exempt from the adoption of normal protective measures, where necessary (covering products with sheets of polyethylene, in non-woven fabric, jute bags, prolonged wetting, etc.).

It is not a pigmentation, after the application it is transparent.

Storage and preservation

Protect from freezing. Store the product in its original packing, in a fresh and dry environment, avoiding frost and direct sunlight. Inadequate storage of the product may result in a loss of rheological performance. Store the product at a temperature between +5°C and +35°C.



Warnings, Precautions and Ecology

The general information, along with any instructions and recommendations for use of this product, including in this data sheet and eventually provided verbally or in writing, correspond to the present state of our scientific and practical knowledge.

Any technical and performance data reported is the result of laboratory tests conducted in a controlled environment and thus may be subject to modification in relation to the actual conditions of implementation.

Azichem Srl does not assume any liability arising from inadequate characteristics related to improper use of the product or connected to defects arising from factors or elements unrelated to the quality of the product, including improper storage.

Those wishing to utilise the product are required to determine prior to use whether or not the same is suitable for the intended use, assuming all consequent responsibility.

The technical and characteristic details contained in this data sheet shall be updated periodically. For consultation in real time, please visit the website: www.azichem.com. The date of revision is indicated in the space to the side. The current edition cancels out and replaces any previous version.

Please note that the user is required to read the latest Safety Data Sheet for this product, containing chemical-physical and toxicological data, risk phrases and other information regarding the safe transport, use and disposal of the product and its packaging. For consultation, please visit: www.azichem.com.

It is forbidden to dispose of the product and/or packaging in the environment.

CURING AID is produced/distributed by



Via Giovanni Gentile, 16/A - 46044 Goito (MN), Italy
info@azichem.com Tel. +39 0376.604185 /604365 Fax +39 0376 604398



www.azichem.com

Updated: **02/01/2020**
General sales conditions and legal
notices on
www.azichem.com/disclaimer